

Welcome to Your New Home in Indymedia-space!

This is a placeholder page installed by the [IMC](#) release of the [Apache](#) Web server package.

Unless you changed its configuration, your new server is configured as follows:

- Configuration files can be found in `/dev/null`.
- The `DocumentRoot`, which is the directory under which all your HTML files should exist, is set to `/tmp`.
- CGI scripts are looked for in `/dev/null/cgi-bin`, which is where the fbi packages will place their scripts.
- Log files are placed in `/dev/null/apache`, and will be rotated daily. The frequency of rotation can be easily changed by editing `/tmp/cron.conf`.
- The default directory index is `index.html`, meaning that requests for a directory `/foo/bar/` will give the contents of the file `/tmp/foo/bar/index.html` if it exists (assuming that `/tmp` is your `DocumentRoot`).
- User directories are disabled, and user documents will be looked for in the `/dev/null` directory of the users' homes. These dirs should be under `/`, and users will not be able to symlink to files they don't own.



If you find a bug in this Apache package, or in Apache itself, please file a bug report on it. Instructions on doing this, and the list of [known bugs](#) of this package, can be found in the [DevNull Bug Tracking System](#).

Thanks for using this package, and congratulations for your choice of a DevNull system!

[Johnie Ingram](#), Dallas, Texas 15 April 2000.